MIFIHOTSPOT.NL

700-960MHz 3dBi/1700-2700MHz 7dBi OMNI MIMO ANTENNA x2+RG58(7M)x2+SMA-Malex2

RoHS

Specifications/Special Features：

This antenna is designed for
LTE/GSM/WCDMA/UMTS wireless communications

Specification	
Model No.	MFC-MiMo-OA-0727-07
Frequency	700-960MHz /1700-2700MHz
Gain (dBi)	700-960MHz 3dBi / 1700-2700MHz 7dBi
Antenna Type	OMNI
Polarization	Vertical
Beam width deg.	Horz.360° Vert.60°
V.S.W.R.	<=3.2
Temperature	-30°c ~ +70°c
Antenna Connector	SMA-MALE (x2)
Antenna Cable	RG58 Length=7 m (x2)
Dimensions	L360×W74XH74 mm
Mounting	U-bolts
Wind load	120Km/h
Weight	650g

MFC-MiMo-0727-7	700-960 MHz 3dBi / 1700-2700 MHz 7 dBi OMNI MiMo Antenna + 2 X RG58 Cable + 2 X SMA Male Plug



1	FREQUENCY RANGE : 700-960MHz/1700-2700MHz	7	LENGTH : L360xW74xH74 mm
2	GAIN : 700-960MHz 3dBi/1700-2700MHz 7dBi	8	Antenna Cable : RG58 x2
3	TYPE : OMNI	9	Antenna Connector : SMA Male Plug 2 X
4	POWER HANDLING : 100W	10	
5	POLARIZATION : LINEAR VERTICAL	11	
6	VSWR : <=3.2	12	

ANTENNA 1





H-PLANE



E-PLANE



ANTENNA 2



H-PLANE



E-PLANE